

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
MA03500	Base Chassis, Model 4400 SBA 4X2 with 205.00 Wheelbase, 137.90 CA, and 75.00 Axle to Frame.	5996/3061	9057	\$56,589.00
1570	TOW HOOK, FRONT (2) Inside Rail, Frame Mounted.	8/0	8	\$71.00
1CAG	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL	165/400	565	\$835.00
1LNN	BUMPER, FRONT Full Width, Aerodynamic, Chrome Plated Steel; 0.142" Material Thickness	0/0	0	\$389.00
1WEJ	WHEELBASE RANGE 199" (505cm) Through and Including 254" (645cm)	0/0	0	\$239.00
2ADC	AXLE, FRONT NON-DRIVING {International I-100SG} I-Beam Type, 10,000-lb Capacity	62/0	62	\$371.00
3ADB	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 10,000-lb Capacity; With Shock Absorbers	63/0	63	\$114.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free			
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	47/51	98	(\$332.00)
	<u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4			
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	9/21	30	\$1,330.00
4EBS	AIR DRYER {Bendix AD-9} With Heater	23/4	27	\$436.00
4ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn	0/0	0	\$0.00
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	0/0	0	\$0.00
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	0/0	0	\$0.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/0	0	\$0.00
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	46/0	46	\$67.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Brakes	3/0	3	\$34.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
4WDM	DUST SHIELDS, REAR BRAKE for Air Brakes	0/6	6	\$34.00
5710	STEERING COLUMN Tilting and Telescoping	10/0	10	\$321.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	0/0	0	\$0.00
5PRR	STEERING GEAR {TRW (Ross) TAS-66} Power	16/0	16	\$21.00
7BDB	EXHAUST SYSTEM Single Horizontal, Aftertreatment Device, Frame Mounted Right Side, Under Cab, Includes Horizontal Tail Pipe	18/-14	4	\$503.00
	<u>Includes</u> : NOTE: The Horizontal Tailpipe Includes a Temperature Control Device			
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
	<u>Includes</u> : BATTERY BOX Steel : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1	\$17.00
8540	HORN, ELECTRIC (2)	4/0	4	\$19.00
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1	\$29.00
8GGZ	ALTERNATOR {Leece-Neville LBP2224H} Brush Type; 12 Volt 120 Amp. Capacity, Pad Mounted	0/0	0	\$0.00
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	0/3	3	\$155.00
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total	-5/-1	-6	\$55.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
8RJU	RADIO {International} AM/FM Stereo With CD Player, Weatherband, Clock, Auxiliary Input, Includes Multiple Coaxial Speakers <u>Includes</u> : SPEAKERS IN CAB (2) Coaxial with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	0/0	0	\$464.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	2/0	2	\$47.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	-30/0	-30	\$0.00
8WZK	HEADLIGHTS Halogen; Composite Aero Design for Two Light System	0/0	0	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0	\$97.00
9HAD	GRILLE Chrome	0/0	0	\$0.00
9WAC	BUG SCREEN Front End; Mounted Behind Grille	5/0	5	\$128.00
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction	0/0	0	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"	0/0	0	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	-65/-10	-75	\$0.00
12959	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1250 Watt <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	2/0	2	\$80.00
12NSH	ENGINE, DIESEL {International MaxxFORCE DT} EPA 07, 300 HP, 860 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, # 2 Bell Housing <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES	0/0	0	\$2,560.00
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed	25/0	25	\$202.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : FAN Nylon			
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	0/0	0	\$0.00
12UYD	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 816 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler	0/0	0	\$0.00
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber			
12VBC	AIR CLEANER Single Element	0/0	0	\$0.00
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted			
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0	\$0.00
12VYX	FEDERAL EMISSIONS 2007 for International MaxxForce DT Engines (DT466)	0/0	0	\$5,000.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines	0/0	0	\$44.00
12WYS	EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap	0/0	0	\$0.00
12WZC	EMISSION COMPLIANCE 5 Min., Tamper-Proof Engine Shutdown System, Complies With California Clean Air Regulations, Does Not Certify Engine for Low-NOx Extended Idling	0/0	0	\$89.00
13AJN	TRANSMISSION, AUTOMATIC {Allison 3500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.	172/62	234	\$8,022.00
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan			
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	0/0	0	\$0.00
13WDY	SHIFT CONTROL PARAMETERS WT-Allison S-1 Performance Programming in Primary and Allison S-4 Economy Programming in Secondary	0/0	0	\$0.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$199.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring	3/0	3	\$113.00
14AHC	AXLE, REAR, SINGLE {Dana Spicer S23-170D} Single Reduction, 23,000-lb Capacity, With R Wheel Ends, Driver Controlled Locking Differential . Gear Ratio: 5.57 <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle	0/299	299	\$1,774.00
14VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring	0/35	35	\$85.00
15SNY	FUEL TANK Top Draw; D Style, Non Polished Aluminum, 19" Deep, 50 U.S. Gal., 190 L Capacity, Beveled Back of Tank, With Quick Connect Outlet, Mounted Right Side, Under Cab	0/0	0	\$216.00
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	0/0	0	\$0.00
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	0/0	0	\$0.00
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	1/0	1	\$47.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16JNV	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust	1/0	1	\$153.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type			
16PHX	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth	29/12	41	\$324.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type			
16SDL	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatic Controlled, Black Heads, Brackets and Arms	0/0	0	\$100.00
16SED	GRAB HANDLE (2) Black, Aluminum; for Cab Entry Mounted Left and Right each Side at "B" Pillar	4/0	4	\$85.00
16VBW	CAB MOUNTING HEIGHT EFFECTS Mid Cab in Lieu of Low Cab Mounting Height (Approx. 4") for Increased Cooling System Requirements	0/35	35	\$0.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3	\$38.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0	\$0.00
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster	0/0	0	\$806.00
	<u>Includes</u> : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A			
16WKY	FRESH AIR FILTER for HVAC	4/0	4	\$13.00
16WRX	CAB INTERIOR TRIM Deluxe	0/0	0	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console			
16WSK	CAB REAR SUSPENSION Air Bag Type	25/10	35	\$0.00
27DMC	WHEELS, FRONT DISC; 22.5" Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	-70/0	-70	\$511.00
	<u>Includes</u>			

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	: WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings			
28DMC	WHEELS, REAR DUAL DISC; 22.5" Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.	0/-140	-140	\$1,035.00
	<u>Includes</u> : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings			
7372135801	(2) TIRE, FRONT 11R22.5 AH12 (HANKOOK) 503 rev/mile, load range G, 14 ply	74/0	74	\$32.00
7382135805	(4) TIRE, REAR 11R22.5 Z35A (HANKOOK) 503 rev/mile, load range H, 16 ply	0/204	204	\$408.00
	Total of Product Features			\$83,969.00
	Total Component Weight:	6652/4038	10690	
	Total List Price Including Options:			\$83,969.00

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.